

GOVERNMENT OF ANDHRA PRADESH
A B S T R A C T

Public Services- I & CAD Department- Sri C.V.Rama Murthy, SE(Retd.) – Irregularities committed in execution of works “ewe and formation of banks including construction of CM & CD works on 21 R distributory of Surampalem reservoir scheme”-Disciplinary action initiated – Further action dropped – Orders -Issued

=====

IRRIGATION & CAD(SER.X.2) DEPARTMENT

G.O.Rt.No. 1336

Dt:26.10.2010

Read the following:

- 1.G.O.Rt.No.1111 & 1112, I & CAD (Ser.X.2) Dept., dt. 22.08.2008.
 2. G.O.Rt.No.396, I & CAD (Ser.X.2) Dept., dt. 19.3.2009.
 - 3.From the ENC, Medium Irrigation, Hyd. Lr. No. ENC/ Med/ DCEIII/ V1/ EO/ 09, dt. 26.06.2009.
 4. Govt. Memo. No. 34349//Ser.X.2/2006-2, Dt: 05 .01.2010
 5. From C.V.Rama Murthy, SE (Retd.) Lr.No.CVR 01, dt. 29.3.2010
- &&&

O R D E R:

It was brought to the notice of the Government that certain irregularities were taken place in calling for tenders for execution of Earth work Excavation and formation banks including construction of CM & CD works of 21R distributory of Surampalem Reservoir scheme, by allowing less time allowed for receipt of tenders. Therefore, Government have initiated disciplinary action against Sri C.V.Rama Murthy, Superintending Engineer (Retd.). The Inquiry officer has submitted his inquiry report on the charges framed against Sri C.V.Rama Murthy, Superintending Engineer (Retd.).

Government have examined the inquiry report and disagreed the findings of the Inquiry Officer and communicated the inquiry report along with disagreement factors to the charged officer vide reference 4th read above, with a direction to submit his representation if any, on the findings of the I.O along with the above disagreement factors. Sri C.V. Rama Murthy, Superintending Engineer (Retd.) has submitted his representation and requested the Government to consider the findings of the Inquiry Officer, and drop all the charges framed against him by considering the detailed facts explained by him.

Govt. after careful examination of the representation of the charged officer, has decided to drop further action against Sri C.V.Rama Murthy, Superintending Engineer (Retd.). Accordingly, Government hereby order to drop further action against Sri C.V. Rama Murthy, Superintending Engineer (Retd.).

The Engineer-In-Chief (Admn.Wing) shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri C.V.Rama Murthy, Superintending Engineer (Retd.)
through Engineer-In-Chief (Admn.Wing) Hyderabad.
Copy to :
The Engineer-In-Chief (Admn. Wing), I & CAD Dept Hyderabad,
The Account General , A.P., Hyderabad .
The Secretary , A.P. Vigilance Commission , Hyderabad
SF/SC

//FORWARDED: : BY ORDER//

SECTION OFFICER